


Please amend the Application as follows.

**IN THE CLAIMS:**

Claims 1 - 5. (Cancelled)

Claim 6. (Currently Amended): ~~A Moulding compositions according to Claim 1, containing~~ molding composition comprising:

- A) 40 to 99 parts by weight of at least one of aromatic polycarbonate and ~~[[/or]]~~ polyester-carbonate;
- B) 0.5 to 60 parts by weight of graft polymer prepared from,
  - B.1) 5 to 95 wt.% of one or more vinyl monomers, and
  - B.2) 95 to 5 wt.% of one or more grafting backbones having a glass transition temperature of  $<10^{\circ}\text{C}$ ;
- C) 0 to 45 parts by weight of at least one thermoplastic polymer selected from the group consisting of vinyl (co)polymers and polyalkylene terephthalates;
- D) 0.5 to 20 parts by weight of ~~[[said]]~~ a phosphorus compound represented by formula (I)



in which

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are mutually independently C<sub>1</sub>-C<sub>8</sub> alkyl, optionally substituted by halogen, C<sub>5</sub>-C<sub>6</sub> cycloalkyl, C<sub>6</sub>-C<sub>10</sub> aryl or C<sub>7</sub>-C<sub>12</sub> aralkyl, each optionally substituted by halogen and/or alkyl,

n are mutually independently 0 or 1,

q are mutually independently 0, 1, 2, 3 or 4,

N is 0.9 to 1.0,

R<sup>5</sup> and R<sup>6</sup> mutually independently mean C<sub>1</sub>-C<sub>4</sub> alkyl or halogen,

Y means C<sub>1</sub>-C<sub>7</sub> alkylidene, C<sub>1</sub>-C<sub>7</sub> alkylene, C<sub>5</sub>-C<sub>12</sub> cycloalkylene, C<sub>5</sub>-C<sub>12</sub> cycloalkylidene, -O-, -S-, -SO-, -SO<sub>2</sub>- or -CO-; and

E) ~~0.01 to 3 parts by weight of said a~~ fluorinated polyolefin[[s]] in [[the]] a form selected from one of,

(i) [[said]] a coagulated mixture of said fluorinated polyolefin and at least one component selected from the group consisting of component (A) and component (C),

said coagulated mixture being formed by mixing an emulsion of said fluorinated polyolefin with at least one of an emulsion of component (A) and an emulsion of component (C), followed by coagulation thereof, [[or]] and

(ii) as said a precompound of said fluorinated polyolefin and at least one component selected from the group consisting of component (A), component (B) and component (C),

said precompound being formed by dry mixing one of

said fluorinated polyolefin in powder form and said fluorinated polyolefin in pelletized form with at least one of components (A), (B) and (C), and melt compounding the dry mixture.

Claim 7. (Currently Amended): Moulding compositions according to Claim [[1]] 6 wherein N in the formula (I) denotes an average value of 0.95 to 5.

Claim 8. (Currently Amended): Moulding compositions according to Claim [[1]] 6 wherein N in the formula (I) denotes an average value of 1 to 3.

Claims 9 - 10. (Cancelled)

Claim 11. (Currently Amended): Moulding compositions according to Claim [[10]] 6, containing as the vinyl monomers B.1 mixtures of,

B.1.1 50 to 99 parts by weight of at least one monomer selected from the group consisting of vinyl aromatics, ring-substituted vinyl aromatics, and (meth)acrylic acid (C<sub>1</sub>-C<sub>8</sub>)-alkyl esters,

and

B.1.2 1 to 50 parts by weight of at least one monomer selected from the group consisting of vinyl cyanides, (meth)acrylic acid (C<sub>1</sub>-C<sub>8</sub>)-alkyl esters, and derivatives of unsaturated carboxylic acids.

Claim 12. (Currently Amended): Moulding compositions according to Claim 6 wherein said grafting backbone B.2 is selected from at least one member of the group consisting essentially of ~~containing a~~ diene rubber, acrylate rubber, silicone rubber ~~[[or]] and ethylene/propylene/diene rubber or mixtures thereof as the grafting backbone B.2.~~

Claim 13. (Currently Amended): Moulding compositions according to Claim [[1]] 6 wherein Y in the formula (I) denotes isopropylidene or methylene.

Claim 14. (Original): Moulding compositions according to claim 13, wherein Y in the formula (I) denotes isopropylidene.

Claim 15. (Currently Amended): Moulding compositions according to Claim [[1]] 6 ~~further containing~~ wherein the vinyl (co)polymers of (C) are prepared from at least one monomer selected from the group consisting of vinyl aromatics, vinyl cyanides, (meth)acrylic acid (C<sub>1</sub>-C<sub>8</sub>)-alkyl esters, unsaturated carboxylic acids, and derivatives of unsaturated carboxylic acids.

Claim 16. (Previously Presented): Moulding compositions according to Claim 1 further containing at least one additive selected from stabilisers, pigments, mould release agents, flow auxiliaries, antistatic agents, fillers and reinforcing materials.

Claim 17. (Currently Amended): A method of ~~[[using]]~~ forming a moulded article comprising:

- (a) providing the moulding compositions according to Claim [[1]] 6 ~~for the production of mouldings; and~~
  - (b) injection moulding said composition,
- thereby forming said moulded article.

Claim 18. (Currently Amended): Mouldings prepared from moulding compositions according to Claim [[1]] 6.

Claim 19. (New): The molding composition of Claim 6 wherein said fluorinated polyolefin is in the form of said precompound (E)(ii), which consists essentially of said fluorinated polyolefin and graft copolymer (B).

Claim 20. (New): The molding composition of Claim 6 wherein said fluorinated polyolefin is in the form of said precompound (E)(ii), which consists essentially of said fluorinated polyolefin and component (C).

Claim 21. (New): The molding composition of Claim 6 wherein said fluorinated polyolefin (E) is present in an amount of from 0.01 to 3 parts by weight, and said precompound (E)(ii) contains said fluorinated polyolefin in an amount of 5 to 40 percent by weight, based on the weight of said precompound, and at least one of components (A), (B) and (C) in an amount totaling 60 to 95 percent by weight, based on the weight of said precompound.